



FOUNDATIONAL COURSE

Satellite Foundational Course for JPSS (SatFC-J)



MICROWAVE

FOUNDATIONAL COURSE

Influence of Clouds and Precipitation



Learning Objectives



1. Understand how microwave sensors provide moisture, cloud properties, and precipitation information against different surface backgrounds (land vs. ocean).
2. Interpret Precipitable Water (TPW, ALPW), Cloud Liquid Water (CLW), Rain Rate (RR), and Snowfall Rate (SFR, mSFR) products from example imagery.
3. Describe how blended microwave and infrared precipitation products are used to improve coverage of significant precipitation events.

Non-precipitating clouds are transparent

- Microwave detects moisture at all levels
- Infrared can detect moisture at different levels, but only in cloud-free regions

Total Precipitable Water (TPW)

- Definition:
Liquid water equivalent if all the **water vapor** within a column of the atmosphere were condensed.


- Observation Region:
 - global, over the oceans
 - excluding areas of precipitation

- Observation Range:
0-75 mm

Blended TPW


- POES microwave data, GOES data, and GPS data (land)
- Observation Region:
 - global, excluding areas of precipitation

Blended Total Precipitable Water: 2025/10/27



0 15 30 45 60 75 (mm)

Advected Layered Precipitable Water (ALPW)



- Vertical Layers: surface-850 mb, 850-700 mb, 700-500 mb, 500-300 mb
- Observation Region: global, excluding areas of precipitation


CIRA: https://cat.cira.colostate.edu/SPoRT/Layered/Advected/ALPW_Hourly.htm

NOAA OSPO: <https://www.ospo.noaa.gov/products/atmosphere/alpw/>

Cloud Liquid Water (CLW)

- Definition:
Depth of water if all the **cloud droplets** were accumulated within a column of the atmosphere
- Observation Region:
 - global, over the oceans
 - excluding areas of sea ice and precipitation
- Observation Range:
0-1.0 mm


AMSR-2 Cloud Liquid Water: 2018/01/27



Rain Rate (RR)

- **Definition:**
Depth of hourly rainfall at the ground surface
- **Observation Region:**
 - tropical to mid-latitude
 - higher accuracy over ocean than over land
- **Observation Range:**
0-50 mm/hr

AMSR-2 Rain Rate: 2018/01/27





Snowfall Rate (SFR)

- Definition:
Instantaneous liquid equivalent snowfall rate
- Observation Region:
Global coverage
- Observation Range:
0.00079 - 0.39 in/hr (liquid)

merged Snowfall Rate (mSFR)

- Merges SFR and MRMS instantaneous snowfall rate
- Observation Region:
CONUS


POES Snowfall Rate: 2024/04/04 17:55Z



Rain Rate from Infrared


Basic assumptions for opaque mid-latitude clouds:

- Cloud-top temperature (IR) is related to cloud-top height
- Cloud-top height is related to the strength of the updraft and rain rate



SatF-C-G: GOES-R Rainfall Rate product (modified)

Microwave Interaction with Rain Cloud



Ice particles

- Scattering
- Higher frequencies (> 60 GHz)

Liquid raindrops

- Absorption / emission
- Lower frequencies (< 22 GHz)

Displacement due to viewing geometry (parallax error) is greater for ice than for raindrops.


Tropical Cyclone Analysis

- The low-level center and convective rain bands directly related to tropical cyclone intensity are often obscured by high clouds in visible, infrared, and water vapor imagery
- ~36 GHz able to sense clouds and moisture close to the surface
- ~89 GHz sensitive to both rain and ice rates


<https://science.nrlmry.navy.mil/geoips/tcweb4/>

Hurricane Maria: 18 September 2017


GOES-13 Infrared



AMSR-2 36 GHz H-pol



AMSR-2 89 GHz H-pol



Thunderstorms

- Precipitating clouds are not transparent

What makes brightness temperatures cooler over land surfaces?

36 GHz:


- rain and wet ground

89 GHz:

- rain, ice, and wet ground

14 May 2018

Brightness Temperature



Summary

- Microwave products related to atmospheric moisture include:
 - Precipitable Water products
 - Cloud Liquid Water
 - Rain Rate
 - Snowfall Rate products
- The best precipitation estimation algorithms use a combination of:
 - infrared data from geostationary satellites (temporal advantage)
 - microwave data from polar-orbiting satellites (higher accuracy)
- Precipitation estimation is more reliable over the ocean, which provides a cold contrasting background.

Resources



- Microwave Remote Sensing: Applications for Water Vapor, Clouds and Precipitation
<https://learn.meted.ucar.edu/#/online-courses/6aaf6d26-1b18-4bc9-8834-3627d41ae826>
- A First Course in Atmospheric Radiation, 2nd Ed. (Petty 2006)
- SatFC-G: GOES-R Rainfall Rate
http://rammb.cira.colostate.edu/training/visit/training_sessions/goes_r_rainfall_rate/
- Product Quick Guides: https://rammb2.cira.colostate.edu/training/visit/quick_reference/



Questions? Email: CIRA_Training@colostate.edu
Contributors: Erin Sanders, Bernie Connell, Jorel Torres,
Bob Kuligowski, Roger Edson, Huan Meng